

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Withdrawn and Previously presented) A wireless communication terminal, which performs wireless communication using each of a first communication method and a second communication method and enables to be in an idle state with both methods, comprising:

a setting section that sets a suspend time for detecting an incoming call from a base station using the first communication method subsequent to completion of communication with the base station using the first communication method; and

a determination section that determines a cause of the completion of communication with the base station,

wherein the setting section sets the suspend time based on the cause of completion of communication determined by the determination section.

2. (Withdrawn) The wireless communication terminal according to claim 1, wherein the setting section does not set the suspend time except when the cause of the completion of communication is interruption of wireless communication.

3. (Currently amended) A wireless communication terminal, which performs wireless communication using each of a first communication protocol and a second communication protocol and enables to be in an idle state with both protocols, comprising:

a setting section that sets a suspend time for detecting an incoming call from a base station using the first communication protocol subsequent to completion of communication with the base station using the first communication protocol;

a first changing section that changes a monitoring timing of the second communication protocol; and

a second changing section that changes a monitoring timing of the first communication protocol by communicating with the base station when the first changing section changes the monitoring timing of the second communication protocol,

wherein the setting section does not set the suspend time after the second changing section changes the monitoring timing of the first communication method by communicating with the base station ~~by the second changing section.~~

4. (Previously presented) The wireless communication terminal according to claim 3,

wherein the first communication protocol is a 1x Evolution Data Only system, and the second communication protocol is a Code Division Multiple Access 2000 1x system.

5. (Withdrawn and Previously presented) A wireless communication terminal control method which performs wireless communication using each of a first communication method and a second communication method and enables to be in an idle state with both methods, the method comprising the steps of:

determining a cause of completion of communication with a base station using the first communication method; and

setting a suspend time for detecting an incoming call from the base station using the first communication method subsequent to the completion of

communication with the base station using the first communication method, based on the determined cause of the completion of communication.

6. (Withdrawn) The wireless communication terminal control method according to claim 5,

wherein the suspend time is not set except when the cause of completion of communication is interruption of wireless communication.

7. (Currently amended) A wireless communication terminal control method which performs wireless communication using each of a first communication protocol and a second communication protocol and enables to be in an idle state with both protocols, comprising:

changing a monitoring timing of the first communication protocol by communicating with a base station based on a change of a monitoring timing of the second communication protocol, and not setting a suspend time for detecting an incoming call from the base station using the first communication protocol after the monitoring time of the first communication method is changed by communicating with the base station.

8. (Previously presented) The wireless communication terminal control method according to claim 7,

wherein the first communication protocol is a 1x Evolution Data Only system, and the second communication protocol is a Code Division Multiple Access 2000 1x system.

9. (Withdrawn and Previously presented) The wireless communication terminal according to claim 1,

wherein the setting section sets the suspend time for zero except when the cause of the completion of communication is interruption of wireless communication.

10. (Withdrawn and Previously presented) The wireless communication terminal according to claim 5,

wherein the suspend time is set for zero except when the cause of the completion of communication is interruption of wireless communication.